

## Vaccine Excipient & Media Summary

### Excipients Included in U.S. Vaccines, by Vaccine

This table includes not only vaccine ingredients (e.g., adjuvants and preservatives), but also substances used during the manufacturing process, including vaccine-production media, that are removed from the final product and present only in trace quantities.  
In addition to the substances listed, most vaccines contain Sodium Chloride (table salt).

**Last Updated September 2013**

All reasonable efforts have been made to ensure the accuracy of this information, but manufacturers may change product contents before that information is reflected here. If in doubt, check the manufacturer's package insert.

Vaccine	Contains	Source: Manufacturer's P.I. Dated
Adenovirus	sucrose, D-mannose, D-fructose, dextrose, potassium phosphate, plasdone C, anhydrous lactose, micro crystalline cellulose, polacrillin potassium, magnesium stearate, cellulose acetate phthalate, alcohol, acetone, castor oil, FD&C Yellow #6 aluminum lake dye, human serum albumin, fetal bovine serum, sodium bicarbonate, human-diploid fibroblast cell cultures (WI-38), Dulbecco's Modified Eagle's Medium, monosodium glutamate	March, 2011
Anthrax (Biothrax)	aluminum hydroxide, benzethonium chloride, formaldehyde, amino acids, vitamins, inorganic salts and sugars	May, 2012
BCG (Tice)	glycerin, asparagine, citric acid, potassium phosphate, magnesium sulfate, Iron ammonium citrate, lactose	February, 2009
DT (Sanofi)	aluminum potassium sulfate, peptone, bovine extract, formaldehyde, thimerosal (trace), modified Mueller and Miller medium, ammonium sulfate	December, 2005
DTaP (Daptacel)	aluminum phosphate, formaldehyde, glutaraldehyde, 2-Phenoxyethanol, Stainer-Scholte medium, modified Mueller's growth medium, modified Mueller-Miller casamino acid medium (without beef heart infusion), dimethyl 1-beta-cyclodextrin, ammonium sulfate	July, 2012
DTaP (Infanrix)	formaldehyde, glutaraldehyde, aluminum hydroxide, polysorbate 80, Fenton medium (containing bovine extract), modified Latham medium (derived from bovine casein), modified Stainer-Scholte liquid medium	July, 2012
DTaP-IPV (Kinrix)	formaldehyde, glutaraldehyde, aluminum hydroxide, Vero (monkey kidney) cells, calf serum, lactalbumin hydrolysate, polysorbate 80, neomycin sulfate, polymyxin B, Fenton medium (containing bovine extract), modified Latham medium (derived from bovine casein), modified Stainer-Scholte liquid medium	July, 2012
DTaP-HepB-IPV (Pediatrix)	formaldehyde, glutaraldehyde, aluminum hydroxide, aluminum phosphate, lactalbumin hydrolysate, polysorbate 80, neomycin sulfate, polymyxin B, yeast protein, calf serum, Fenton medium (containing bovine extract), modified Latham medium (derived from bovine casein), modified Stainer-Scholte liquid medium, Vero (monkey kidney) cells	August, 2012
DTaP-IPV/Hib (Pentacel)	aluminum phosphate, polysorbate 80, formaldehyde, glutaraldehyde, bovine serum albumin, 2-phenoxyethanol, neomycin, polymyxin B sulfate, Mueller's Growth Medium, Mueller-Miller casamino acid medium (without beef heart infusion), Stainer-Scholte medium (modified by the addition of casamino acids and dimethyl-beta-cyclodextrin), MRC-5 (human diploid) cells, CMRL 1969 medium (supplemented with calf serum), ammonium sulfate, and medium 199	July, 2012
Hib (ActHIB)	ammonium sulfate, formalin, sucrose, Modified Mueller and Miller medium	November, 2012
Hib (Hiberix)	formaldehyde, lactose, semi-synthetic medium	March, 2012
Hib (PedvaxHIB)	aluminum hydroxophosphate sulfate, ethanol, enzymes, phenol, detergent, complex fermentation medium	December, 2010

Vaccine	Contains	Source: Manufacturer's P.I. Dated
Hib/Hep B (Comvax)	yeast (vaccine contains no detectable yeast DNA), nicotinamide adenine dinucleotide, hemin chloride, soy peptone, dextrose, mineral salts, amino acids, formaldehyde, potassium aluminum sulfate, amorphous aluminum hydroxyphosphate sulfate, sodium borate, phenol, ethanol, enzymes, detergent	December, 2010
Hib/Mening. CY (MenHibrix)	tris (trometamol)-HCl, sucrose, formaldehyde, synthetic medium, semi-synthetic medium	2012
Hep A (Havrix)	aluminum hydroxide, amino acid supplement, polysorbate 20, formalin, neomycin sulfate, MRC-5 cellular proteins	June, 2013
Hep A (Vaqta)	amorphous aluminum hydroxyphosphate sulfate, bovine albumin, formaldehyde, neomycin, sodium borate, MRC-5 (human diploid) cells	November, 2012
Hep B (Engerix-B)	aluminum hydroxide, yeast protein, phosphate buffers	July, 2012
Hep B (Recombivax)	yeast protein, soy peptone, dextrose, amino acids, mineral salts, potassium aluminum sulfate, amorphous aluminum hydroxyphosphate sulfate, formaldehyde, phosphate buffer	July, 2011
Hep A/Hep B (Twinrix)	formalin, yeast protein, aluminum phosphate, aluminum hydroxide, amino acids, phosphate buffer, polysorbate 20, neomycin sulfate, MRC-5 human diploid cells	August, 2012
Human Papillomavirus (HPV) (Cervarix)	vitamins, amino acids, lipids, mineral salts, aluminum hydroxide, sodium dihydrogen phosphate dehydrate, 3-O-desacyl-4' Monophosphoryl lipid A, insect cell, bacterial, and viral protein.	August, 2012
Human Papillomavirus (HPV) (Gardasil)	yeast protein, vitamins, amino acids, mineral salts, carbohydrates, amorphous aluminum hydroxyphosphate sulfate, L-histidine, polysorbate 80, sodium borate	March, 2013
Influenza (Afluria)	beta-propiolactone, thimerosal (multi-dose vials only), monobasic sodium phosphate, dibasic sodium phosphate, monobasic potassium phosphate, potassium chloride, calcium chloride, sodium taurodeoxycholate, neomycin sulfate, polymyxin B, egg protein, sucrose	April, 2013
Influenza (Agriflu)	egg proteins, formaldehyde, polysorbate 80, cetyltrimethylammonium bromide, neomycin sulfate, kanamycin	June, 2012
Influenza (Fluarix)	octoxynol-10 (Triton X-100), $\alpha$ -tocopheryl hydrogen succinate, polysorbate 80 (Tween 80), hydrocortisone, gentamicin sulfate, ovalbumin, formaldehyde, sodium deoxycholate, sucrose, phosphate buffer	May, 2013
Influenza (Flublok)	monobasic sodium phosphate, dibasic sodium phosphate, polysorbate 20, baculovirus and host cell proteins, baculovirus and cellular DNA, Triton X-100, lipids, vitamins, amino acids, mineral salts	December, 2012
Influenza (Flucelvax)	Madin Darby Canine Kidney (MDCK) cell protein, MDCK cell DNA, polysorbate 80, cetyltrimethylammonium bromide, $\beta$ -propiolactone, phosphate buffer	October, 2012
Influenza (Fluvirin)	nonylphenol ethoxylate, thimerosal (multidose vial-trace only in prefilled syringe), polymyxin, neomycin, beta-propiolactone, egg proteins, phosphate buffer	January, 2012
Influenza (Fluaval)	thimerosal, formaldehyde, sodium deoxycholate, egg proteins	February, 2013
Influenza (Fluzone: Standard, High-Dose, & Intradermal)	formaldehyde, octylphenol ethoxylate (Triton X-100), gelatin (standard trivalent formulation only), thimerosal (multi-dose vial only), egg protein, phosphate buffers, sucrose	April, 2013
Influenza (FluMist)	ethylene diamine tetraacetic acid (EDTA), monosodium glutamate, hydrolyzed porcine gelatin, arginine, sucrose, dibasic potassium phosphate, monobasic potassium phosphate, gentamicin sulfate, egg protein	July, 2013
Japanese Encephalitis (Ixiaro)	aluminum hydroxide, Vero cells, protamine sulfate, formaldehyde, bovine serum albumin, sodium metabisulphite, sucrose	May, 2013

Vaccine	Contains	Source: Manufacturer's P.I. Dated
Meningococcal (MCV4-Menactra)	formaldehyde, phosphate buffers, Mueller Hinton agar, Watson Scherp media, Modified Mueller and Miller medium, detergent, alcohol, ammonium sulfate	November, 2011
Meningococcal (MCV4-Menveo)	formaldehyde, amino acids, yeast extract, Franz complete medium, CY medium	August, 2013
Meningococcal (MPSV4-Menomune)	thimerosal (multi-dose vial only), lactose, Mueller Hinton casein agar, Watson Scherp media, detergent, alcohol	October, 2012
MMR (MMR-II)	Medium 199, Minimum Essential Medium, phosphate, recombinant human albumin, neomycin, sorbitol, hydrolyzed gelatin, chick embryo cell culture, WI-38 human diploid lung fibroblasts	December, 2010
MMRV (ProQuad)	sucrose, hydrolyzed gelatin, sorbitol, monosodium L-glutamate, sodium phosphate dibasic, human albumin, sodium bicarbonate, potassium phosphate monobasic, potassium chloride, potassium phosphate dibasic, neomycin, bovine calf serum, chick embryo cell culture, WI-38 human diploid lung fibroblasts, MRC-5 cells	August, 2011
Pneumococcal (PCV13 – Prevnar 13)	casamino acids, yeast, ammonium sulfate, Polysorbate 80, succinate buffer, aluminum phosphate, soy peptone broth	January, 2013
Pneumococcal (PPSV-23 – Pneumovax)	phenol.	October, 2011
Polio (IPV – Ipol)	2-phenoxyethanol, formaldehyde, neomycin, streptomycin, polymyxin B, monkey kidney cells, Eagle MEM modified medium, calf serum protein, Medium 199	December, 2005
Rabies (Imovax)	Human albumin, neomycin sulfate, phenol red indicator, MRC-5 human diploid cells, beta-propiolactone	December, 2005
Rabies (RabAvert)	$\beta$ -propiolactone, potassium glutamate, chicken protein, ovalbuminegg protein, neomycin, chlortetracycline, amphotericin B, human serum albumin, polygeline (processed bovine 14 gelatin), sodium EDTA, bovine serum	March, 2012
Rotavirus (RotaTeq)	sucrose, sodium citrate, sodium phosphate monobasic monohydrate, sodium hydroxide, polysorbate 80, cell culture media, fetal bovine serum, vero cells <i>[DNA from porcine circoviruses (PCV) 1 and 2 has been detected in RotaTeq. PCV-1 and PCV-2 are not known to cause disease in humans.]</i>	June, 2013
Rotavirus (Rotarix)	amino acids, dextran, sorbitol, sucrose, calcium carbonate, xanthan, Dulbecco's Modified Eagle Medium (DMEM) <i>[Porcine circovirus type 1 (PCV-1) is present in Rotarix. PCV-1 is not known to cause disease in humans.]</i>	September, 2012
Smallpox (Vaccinia – ACAM2000)	human serum albumin, mannitol, neomycin, glycerin, polymyxin B, phenol, Vero cells, HEPES	September, 2009
Td (Decavac)	aluminum potassium sulfate, peptone, formaldehyde, thimerosal, bovine muscle tissue (US sourced), Mueller and Miller medium, ammonium sulfate	March, 2011
Td (Tenivac)	aluminum phosphate, formaldehyde, modified Mueller-Miller casamino acid medium without beef heart infusion, ammonium sulfate	December, 2010
Td (Mass Biologics)	aluminum phosphate, formaldehyde, thimerosal (trace), ammonium phosphate, modified Mueller's media (containing bovine extracts)	February, 2011
Tdap (Adacel)	aluminum phosphate, formaldehyde, glutaraldehyde, 2-phenoxyethanol, ammonium sulfate, Stainer-Scholte medium, dimethyl-beta-cyclodextrin, modified Mueller's growth medium, Mueller-Miller casamino acid medium (without beef heart infusion)	April, 2013
Tdap (Boostrix)	formaldehyde, glutaraldehyde, aluminum hydroxide, polysorbate 80 (Tween 80), Latham medium derived from bovine casein, Fenton medium containing a bovine extract, Stainer-Scholte liquid medium	February, 2013

<b>Vaccine</b>	<b>Contains</b>	<b>Source: Manufacturer's P.I. Dated</b>
Typhoid (inactivated – Typhim Vi)	hexadecyltrimethylammonium bromide, phenol, polydimethylsiloxane, disodium phosphate, monosodium phosphate, semi-synthetic medium	December, 2005
Typhoid (oral – Ty21a)	yeast extract, casein, dextrose, galactose, sucrose, ascorbic acid, amino acids, lactose, magnesium stearate	August, 2006
Varicella (Varivax)	sucrose, phosphate, glutamate, gelatin, monosodium L-glutamate, sodium phosphate dibasic, potassium phosphate monobasic, potassium chloride, sodium phosphate monobasic, potassium chloride, EDTA, residual components of MRC-5 cells including DNA and protein, neomycin, fetal bovine serum, human diploid cell cultures (WI-38), embryonic guinea pig cell cultures, human embryonic lung cultures	December, 2012
Yellow Fever (YF-Vax)	sorbitol, gelatin, egg protein	January, 2010
Zoster (Shingles – Zostavax)	sucrose, hydrolyzed porcine gelatin, monosodium L-glutamate, sodium phosphate dibasic, potassium phosphate monobasic, neomycin, potassium chloride, residual components of MRC-5 cells including DNA and protein, bovine calf serum	June, 2011

A table listing vaccine excipients and media *by excipient* can be found in:

Grabenstein JD. *ImmunoFacts: Vaccines and Immunologic Drugs* – 2013 (38<sup>th</sup> revision). St Louis, MO: Wolters Kluwer Health, 2012.